

CURT MANUFACTURING HITCH WIRING APPLICATION GUIDE

Model	Year	Part No.	Link	Vehicle	Wiring	Notes	Part No.	Year	Part No.	Link	Vehicle	Wiring	Notes
CAMRY (カムリ)	ACV50 駆動 ACV40 駆動	04-07	11487	http://item.rakuten.co.jp/autoproz-usa/curt-11487/	Z	2.0	20	45571	45572	45521			
		12-17	12102	http://item.rakuten.co.jp/autoproz-usa/curt-12102/	BB.M.V	3.5	50	45571	45572	45521			
Camry Prominent/カムリプロミネント (ES250)	ACV20/ACV10 駆動 V30 駆動 V20 駆動 V20 駆動	07-11	12343	http://item.rakuten.co.jp/autoproz-usa/curt-12343/	Z	3.5	45	45571	45572	45521			
		96-06	12339	http://item.rakuten.co.jp/autoproz-usa/curt-12339/		3.5	30	45561	45562	45500			
		90-94	11225	http://item.rakuten.co.jp/autoproz-usa/curt-11225/		2.5	30	45571	45572	45521			
		96-00	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/	D.L.O	2.0	30	45551	45552	45500			
		96-00	11646	http://item.rakuten.co.jp/autoproz-usa/curt-11646/	D.Z	2.0	30	45551	45552	45500			
		90-91	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/	D.Z	2.0	30	45551	45552	45500			
		89-99	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500			
		89-99	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500			
		85-89	11646	http://item.rakuten.co.jp/autoproz-usa/curt-11646/	D.L	2.0	30	--	--	--			
		81-85	11641	http://item.rakuten.co.jp/autoproz-usa/curt-11641/	D.L.Q	1.0	30	--	--	--			
		90-05	11289	http://item.rakuten.co.jp/autoproz-usa/curt-11289/	Z	2.0	20	45571	45572	45521			
		CELSIOR/セシルシオ (LS430)	T180T200 駆動 T180T200 駆動 T160 駆動 A60 駆動 T21 駆動 T180T200 駆動 T180 駆動 A60 駆動 F30 駆動 F20 駆動 F10 駆動 US トヨタ 駆動 専用 US トヨタ 駆動 専用 US トヨタ 駆動 専用 US トヨタ 駆動 専用 US トヨタ 駆動 専用 E70 駆動 E100 駆動 E90 駆動 E70 駆動 T130 駆動 T130 駆動 X70 駆動 X60 駆動 L400 駆動 10 駆動	04-07	11487	http://item.rakuten.co.jp/autoproz-usa/curt-11487/	Z	2.0	20	45571	45572	45521	
09-13	12291			http://item.rakuten.co.jp/autoproz-usa/curt-12291/	Z	3.5	25	45571	45572	45521			
90-94	11227			http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45561	45562	45500			
03-17	11265			http://item.rakuten.co.jp/autoproz-usa/curt-11265/	BB.M.Z	2.0	10	45571	45572	45521			
89-92	11223			http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45561	45562	45500			
87-88	11645			http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
11227	11227			http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
89-92	11223			http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45551	45552	45500			
87-88	11645			http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
11227	11227			http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
03-13	11266			http://item.rakuten.co.jp/autoproz-usa/curt-11266/	M.N.Z	2.0	15	45591	45592	45522			
11295	11295			http://item.rakuten.co.jp/autoproz-usa/curt-11295/	S.Z	2.0	15	45571	45572	45521			
91-02	11181	http://item.rakuten.co.jp/autoproz-usa/curt-11181/	Z	2.0	30	45571	45572	45521					
87-94	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	--	--	--					
79-87	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500					
81-92	11283	http://item.rakuten.co.jp/autoproz-usa/curt-11283/	D.L.Q	1.0	40	--	--	--					
87-91	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500					
11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500					
82-87	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
79-82	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
79-82	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
85-88	11646	http://item.rakuten.co.jp/autoproz-usa/curt-11646/	D.L	2.0	30	--	--	--					
81-84	11642	http://item.rakuten.co.jp/autoproz-usa/curt-11642/	D.L.Q	1.0	40	--	--	--					
91-95	11289	http://item.rakuten.co.jp/autoproz-usa/curt-11289/	Z	2.0	30	45571	45572	45521					
90-99	11146	http://item.rakuten.co.jp/autoproz-usa/curt-11146/	Z	2.0	45	45571	45572	45521					
12304	12304	http://item.rakuten.co.jp/autoproz-usa/curt-12304/	Z	3.5	20	45571	45572	45521					
CORONA/コロナ	E70 駆動 T130 駆動 T130 駆動 X70 駆動 X60 駆動 L400 駆動 10 駆動	04-07	11487	http://item.rakuten.co.jp/autoproz-usa/curt-11487/	Z	2.0	20	45571	45572	45521			
		09-13	12291	http://item.rakuten.co.jp/autoproz-usa/curt-12291/	Z	3.5	25	45571	45572	45521			
		90-94	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45561	45562	45500			
		03-17	11265	http://item.rakuten.co.jp/autoproz-usa/curt-11265/	BB.M.Z	2.0	10	45571	45572	45521			
		89-92	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45561	45562	45500			
		87-88	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
		11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
		89-92	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45551	45552	45500			
		87-88	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
		11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
		03-13	11266	http://item.rakuten.co.jp/autoproz-usa/curt-11266/	M.N.Z	2.0	15	45591	45592	45522			
		11295	11295	http://item.rakuten.co.jp/autoproz-usa/curt-11295/	S.Z	2.0	15	45571	45572	45521			
91-02	11181	http://item.rakuten.co.jp/autoproz-usa/curt-11181/	Z	2.0	30	45571	45572	45521					
87-94	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	--	--	--					
79-87	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500					
81-92	11283	http://item.rakuten.co.jp/autoproz-usa/curt-11283/	D.L.Q	1.0	40	--	--	--					
87-91	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500					
11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45551	45552	45500					
82-87	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
79-82	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
79-82	11649	http://item.rakuten.co.jp/autoproz-usa/curt-11649/	D.L.O	1.0	40	--	--	--					
85-88	11646	http://item.rakuten.co.jp/autoproz-usa/curt-11646/	D.L	2.0	30	--	--	--					
81-84	11642	http://item.rakuten.co.jp/autoproz-usa/curt-11642/	D.L.Q	1.0	40	--	--	--					
91-95	11289	http://item.rakuten.co.jp/autoproz-usa/curt-11289/	Z	2.0	30	45571	45572	45521					
90-99	11146	http://item.rakuten.co.jp/autoproz-usa/curt-11146/	Z	2.0	45	45571	45572	45521					
12304	12304	http://item.rakuten.co.jp/autoproz-usa/curt-12304/	Z	3.5	20	45571	45572	45521					
CRUISER/クルーザー	E70 駆動 T130 駆動 T130 駆動 X70 駆動 X60 駆動 L400 駆動 10 駆動	04-07	11487	http://item.rakuten.co.jp/autoproz-usa/curt-11487/	Z	2.0	20	45571	45572	45521			
		09-13	12291	http://item.rakuten.co.jp/autoproz-usa/curt-12291/	Z	3.5	25	45571	45572	45521			
		90-94	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/	D.Z	2.0	30	45561	45562	45500			
		03-17	11265	http://item.rakuten.co.jp/autoproz-usa/curt-11265/	BB.M.Z	2.0	10	45571	45572	45521			
		89-92	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45561	45562	45500			
		87-88	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
		11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
		89-92	11223	http://item.rakuten.co.jp/autoproz-usa/curt-11223/		2.0	30	45551	45552	45500			
		87-88	11645	http://item.rakuten.co.jp/autoproz-usa/curt-11645/	D.L.Z	2.0	30	45551	45552	45500			
		11227	11227	http://item.rakuten.co.jp/autoproz-usa/curt-11227/		2.0	30	45551	45552	45500			
		03-13	11266										

CURT MANUFACTURING HITCH WIRING APPLICATION GUIDE

AA = Main body concealed		G = Additional install with load level air compressors	N = Available while supplies last	V = Undercar trimming (not fascia) required
B = Relocate or modify exhaust		H = Will not fit vehicles with twin tailboxes	P = Not with roll over bumper	VT = Vertical receiver tube
BB = Main body exposed		HE = Hole enlargement required	Q = Temporary bumper removal	W = Only vehicles with boxed rear bumper
CC = Roll over modification required		I = Will not fit with full size spare	R = Bowed due to lock on arms	X = 118" WB models require brace removal
CF = Carbide black finish		J = No spare tire relocation	S = Discontinued	118" WB models require spare tire relocation
D = Minor fascia trim required		K = CE/Black/White Hitch	T = Modifications required (minor)	Y = Extra shipping cost as noted
E = Noticeable fascia trim required		L = Fixed draw bar	TC = Compatible with Towing Gate, IHS	

- *全ての適合情報はアメリカで販売されている車両をもとにしたデータとなります
- *車両年式はアメリカで販売された時期に準じています
- *ヒッチメンバーの取付けは業者様への依頼を推奨しております
- *ヒッチメンバー取付け方法の指南はできかねますのでご了承下さいませ
- *